

## BIBLIOGRAPHY

### Music Therapy and Medical Care

#### Pain, Anxiety, and Nausea Reduction

- Burt, R.K. & Korn, G.W. (1964). Audioanalgesia in obstetrics: White noise analgesia during labor. *American Journal of Obstetrics and Gynecology*, 88, 361-366.
- Clark, M.E., McCorkle, R.R. & Williams, S.B. (1981). Music-therapy-assisted labor and delivery. *Journal of Music Therapy*, 18, 88-109.
- Colwell, C. (1997). Music as a distraction and relaxation to reduce chronic pain and narcotic ingestion: A case study. *Music Therapy Perspectives*, 15(1), 24-31.
- Ezzone, S., Baker, C., Rosselet, R., & Terepka, E. (1998). Music as an adjunct to antiemetic therapy. *Oncology Nursing Forum*, 25(9), 1551-1556.
- Frank, J.M. (1985). The effects of music therapy and guided visual imagery on chemotherapy induced nausea and vomiting. *Oncology Nursing Forum*, 12, 47-52.
- Godley, C.A. (1987). The use of music therapy in pain clinics. *Music Therapy Perspectives*, 4, 24-28.
- Hanser, S.B., Larson, S.C. & O'Connell, A.S. (1983). The effect of music on relaxation of expectant mothers during labor. *Journal of Music Therapy*, 20, 50-58.
- Keller, V.E. (1995). Management of nausea and vomiting in children. *Journal of Pediatric Nursing*, 10(5), 280-286.
- Klassen, J.A., Liang, Y., Tjosvold, L., Klassen, T.P., & Hartling, L. (2008). Music for pain and anxiety in children undergoing medical procedures: A systematic review of randomized controlled trials. *Ambul Pediatr*, 8(2), 117-128.
- Leardi, S., Pietroletti, R., Angeloni, G., Necozone, S., Ranalletta, G., & Del Gusto, B. (2007). Randomized clinical trial examining the effect of music therapy in stress response to day surgery. *British Journal of Surgery*, 94(8), 943-947.
- Nilsson, U., Unosson, M., & Rawal, N. (2005). Stress reduction and analgesia in patients exposed to calming music postoperatively: A randomized controlled trial. *European Journal of Anaesthesiology*, 22(2), 96-102.
- Locsin, R. (1981). The effect of music on the pain of selected post-operative patients. *Journal of Advanced Nursing*, 6, 19-25.
- Standley, J. (1986). Music research in medical/dental treatment: Meta-analysis and clinical applications. *Journal of Music Therapy*, 23 (2), 56-122.

#### Motor Rehabilitation

- Del Olmo, M.F., & Cudeiro, J. (2003). The timing in Parkinson's disease: Effects of a rehabilitation program based on rhythmic sound cues. *Proceedings Society for Neuroscience*, 734.2.
- Freedland, R.L., Festa, C., Sealy, M., McBean, A., Elghazaly, P., Capan, A., Brozycki, L., Nelson, A.J., & Rothman, J. (2002). The effects of pulsed auditory stimulation on various gait measurements in persons with Parkinson's disease. *Neurorehabilitation*, 17 (1), 81-87.
- Hesse, S. & Werner, C., & Bardeleben, A. (2004). Electromechanical gait training with functional electrical stimulation: Case studies in spinal cord injury. *Spinal Cord*, 42, 346-52.
- Hurt, C.P., Rice, R.R., McIntosh, G.C., & Thaut, M.H. (1998). Rhythmic auditory stimulation in gait training for patients with traumatic brain injury. *Journal of Music Therapy*, 35, 228-241.
- Luft, A.R., McCombe-Waller, S., Whittall, J., Forrester, L.W., Macko, R., Sorkin, J.D., Schulz, J.B., Goldberg, A.P., & Hanley, D.F. (2004). Repetitive bilateral arm training and motor cortex activation in chronic stroke: A randomized controlled trial. *JAMA*, 292 (15), 1853-1861.
- McIntosh, G.C., Brown, S.H., Rice, R.R., & Thaut, M.H. (1997). Rhythmic auditory-motor facilitation of gait patterns in patients with Parkinson's disease. *Journal of Neurology, Neurosurgery, and Psychiatry*, 62, 122-126.
- Prassas, S., Thaut, M.H., McIntosh, G., et al. (1997). Effect of auditory rhythmic cuing on gait kinematic parameters of stroke patients. *Gait and Posture*, 6, 218-223.

- Schneider, S., Schoenle, P.W., Altenmueller, E., Munte, T.F. (2007). Using musical instruments to improve motor skill recovery following a stroke. *Journal of Neurology*, Online First January 27, 2007.
- Thaut, M.H. (2005). *Rhythm, Music, and the Brain: Scientific Foundations and Clinical Applications*. New York: Routledge.
- Thaut, M.H., Hoemberg, V., Kenyon, G., & Hurt, C.P. (1998). Rhythmic entrainment of hemiparetic arm movements in stroke patients. *Proceedings Society for Neuroscience*, 653.7.
- Thaut, M.H., Hurt, C.P., Dragan, D., & McIntosh, G.C. (1998). Rhythmic entrainment of gait patterns in children with cerebral palsy. *Developmental Medicine and Child Neurology*, 40 (78), 15.
- Thaut, M.H., Lange, H., Miltner, R., Hurt, C.P., & Hoemberg, V. (1996). Rhythmic entrainment of gait patterns in Huntington's disease patients. *Proceedings Society for Neuroscience*, 727.6.
- Thaut, M.H., McIntosh, G.C., Rice, R.R., et al. (1993). The effect of auditory rhythmic cuing on stride and EMG patterns in hemiparetic gait of stroke patients. *Journal of Neurologic Rehabilitation*, 7, 9-16.

#### Emotional Support

- Galizio, M. & Hendrick, C. (1972). Effect of musical accompaniment on attitude: The guitar as a prop for persuasion. *Journal of Applied Social Psychology*, 2, 350-359.
- Gfeller, K.E. (1990a). Music as communication. In R.F. Unkefer (Ed.) *Music Therapy in the Treatment of Adults with Mental Disorders* (p. 50-62). New York: Schirmer.
- Gfeller, K.E. (1990b). The function of aesthetic stimuli in the therapeutic process. In R.F. Unkefer (Ed.) *Music Therapy in the Treatment of adults with Mental Disorders* (p. 70-81). New York: Schirmer.
- Gfeller, K.E., Logan, H., & Walker, J. (1990). The effect of auditory distraction and suggestion on tolerance for dental restoration in adolescents and young adults. *Journal of Music Therapy*, 27, 13-23.
- Hendon, C. & Bohon, L.M. (2008). Hospitalized children's mood differences during play and music therapy. *Child Care Health Dev*, 34(2), 141-144.
- McFarland, R.A. (1984). Effects of music upon emotional content of TAT stories. *Journal of Psychology*, 116, 227-234.
- Merriam, A.P. (1964). *The Anthropology of Music*. Evanston, IL: Northwestern University Press.
- O'Brian, M.P. & Willbanks, W.A. (1978). The effect of context on the perception of music. *Bulletin of the Psychonomic Society*, 12, 441-443.
- Peretz, I. & Zatorre, R. (Eds.). (2003). *The Cognitive Neuroscience of Music*. Oxford: Oxford University Press.
- Radocy, R.E. & Boyle, J.D. (1979). *Psychological Foundations of Musical Behavior*. Springfield, IL: Charles C. Thomas.
- Thayer, J.F. & Levenson, R.W. (1983). Effects of music on psychophysiological responses to a stressful film. *Psychomusicology*, 3, 44-52.
- Wintle, R.R. (1978). Emotional impact of music on television commercials. Unpublished Ph.D. dissertation. University of Nebraska, Lincoln.

#### Neuroimmune Function

- Bittman, B.B., Berk, L.S., Felten, D.L., Westengard, J., Simonton, O.C., Pappas, J., & Ninehouser, M. (2001). Composite effects of group drumming music therapy on modulation of neuroendocrine-immune parameters in normal subjects. *Alternative Therapies*, 7(1), 38-47.
- Burns, S.J., Harbuz, M.S., Hucklebridge, F., & Bunt, L. (2001). A pilot study into the therapeutic effects of music therapy at a cancer help center. *Alternative Therapies*, 7, 48-56.
- Kreutz, G., Bongard, S., Rohrmann, S., Hodapp, V., & Grebe D. (2004). Effects of choir singing or listening on secretory immunoglobulin A, cortisol, and emotional state. *Journal of Behavioral Medicine*, 27(6), 623-35.

- Kuhn, D. (2002). The effects of active and passive participant in musical activity on the immune system as measured by salivary immunoglobulin A (SIgA). *Journal of Music Therapy*, 39(1), 30-39.
- Lane, D. & Olness, K. (1991). The effect of music therapy on salivary immunoglobulin A levels in \ children. *Pediatric Research*, 29.
- Leardi, et al. (2007).
- Malone, A. (1996). The effects of live music on the distress of pediatric patients receiving intravenous starts, venipunctures, injections, and heel sticks. *Journal of Music Therapy*, 33, 19-33.

#### Sense of Control and Quality of Life

- Barrickman, J. (1989). A developmental music therapy approach for preschool hospitalized children. *Music Therapy Perspectives*, 7, 10-16.
- Bonny, H. (1983). Music listening for intensive coronary care units: A pilot project. *Music Therapy*, 3, 4-16.
- Burns et al. (2001).
- Gfeller, et al. (1990).
- Langer, E. (1983). *The Psychology of Control*. London: Lawrence Erlbaum.
- Locsin. (1981).
- Marley, L.S. (1984). The use of music with hospitalized infants and toddlers: A descriptive study. *Journal of Music Therapy*, 21, 126-132.
- Meinhart, N.T. & McCaffery, M. (1983). *Pain: A Nursing Approach to Assessment and Analysis*. Norwalk, CT: Appleton-Century-Croft.
- Oyama, T., Hatano, K., Sato, Y., Kudo, M., Spintge, R. & Droh, R. (1983). Endocrine effect of axiolytic music in dental patients. In *Angst, Schmerz Musik in der Anasthesie*, Ed. By R. Droh & R. Spintge (p. 143-146). Basel, Switzerland: Editiones Roche.
- Rudenberg, M.T. & Royka, A.M. (1989). Promoting psychosocial adjustment in pediatric burn patients through music therapy and c hild life therapy. *Music Therapy Perspectives*, 7, 40-43.
- Sarafino, E.P. (1997). *Health Psychology: Biopsychosocial Interactions* (3<sup>rd</sup> ed.). New York: Wiley.